Draft

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

W.R. (Reforms) Dept. – A.P. Medical Services & Infrastructure Development Corporation (APMSIDC) - Permission for Drawl of 1,00,000 Litres per day for 30 months of Irrigation water from Karagraharam Branch Channel for construction purpose – Permission accorded- Orders – Issued.

WATER RESOURCES (REFORMS) DEPARTMENT

G.O. Rt. No. 491 Dated: 28.02.2022
Read the following:

1. From the Engineer-in-Chief (I), WRD., Vijayawada, Lr. No. ENC(I)/ EE/ DEE1/AEE2/IWS (Machilipatnam Medical College), Dt.08-10-2021.
2. Govt. Memo No. ICDO1-COOROMISC/63/Reforms/2021-1 Dt:01.11.2021.
3. From the Engineer-in-Chief (I), WRD., Lr.No. ENC(I)/EE/ DEE1/AEE2/ IWS (Machilipatnam Medical College), Dt.07-01-2022.
4. G.O.Ms.No.1, Ind.& Com. (P&I) Dept., dt.12.01.2022.

* * *

O R D E R:

In the letters G.O 1st and 3rd read above, the Engineer-in-Chief (I), Water Resources Department, Vijayawada based on the report of Chief Engineer, Krishna Delta System, WRD, have recommended the proposal to Government to accord permission to A.P. Medical Services & Infrastructure Development Corporation (APMSIDC) for drawl of 1,00,000 litres/day for 30 months of irrigation water from Karagraharam Branch Channel for construction of Medical College at Machilipatnam with the following subjective terms and conditions:

1. The water must be used for the purpose of construction activities of Medical College only. i.e. the water drawn from the Karagraharam Branch Channel should be utilized for the purpose for which the permission is granted.
2. The water can be spared subject to the availability of water in the Karagraharam Branch Channel.
3. Under any circumstances, the consumptive utilization should not exceed the quantum of water allotted by the Government. i.e. No excess water should be drawn from the Irrigation Canal.
4. The agency/ firm/ industry should install water meters or suitable

measuring devices at their own cost to measure the water consumed and should be made available to the Departmental Authorities and the representatives of the users shall be present at all time of inspection. The water meter shall be periodically calibrated and kept sealed. The period of calibration will be specified by the department.

5. The entire cost of construction of intake well, pump house, pipelines excavation etc., should be borne by the agency/ firm only.
6. The water royalty charges for required quantum of water must be paid in advance to the competent authority of Water Resources Department.
7. The industry should pay the water royalty charges at the existing rates i.e. as per the G.O.Ms.No.1, Ind. & Com. (P&I) Dept., dt.12.01.2022 at the rate of Rs. 120/KL as the water is used for consumptive use and at the revised rates fixed by the Government from time to time. In case of failure to pay water rate/ royalty the permissions to draw water shall stands cancelled.
8. The industry shall obtain the prior concurrence from concerned Departments for laying pipelines and for crossing etc., where ever necessary.
9. During the dry spells, the priority must be given to the Agriculture crops only, no water shall be supplied to the agency during those periods.
10. Before closing of the canal, the required quantum of water can be stored by the agency by making alternative arrangements, as no water is supplied during the canal closed period.
11. Irrigation canal cannot be damaged during the drawl of water and maintenance of source canal (ex: weed removal and de-siltation) should be done by the agency only.
12. No field bodhi or pipeline shall be taken through or along with Government land without approval of Government and if permission accorded by the Government the lease should be paid as fixed by Government only.

(...3)

13.The agency/ firm should make their own arrangements to dispose the treated effluents as per norms of A.P. Pollution Control Board in their premises only and should obtain prior permission if any needed from Government to dispose treated effluents in their natural sources. Necessary clearance from the A.P. Pollution Control Board is to be obtained in this regard by the firm before drawl of water from the source.

14.The Water Resources Department reserves the right for cancellation of the permission without assigning any reasons thereof.

15.The Water Resources Department is no way responsible for non-supply of water due to any reasons.

16.The agency/ firm must acquire the private land for installation of pumping arrangements. If the agency/firm proposes to utilize Government land for installation of pump house, necessary permissions is to be obtained from the Government for leasing the land and the lease amount fixed is to be paid by the agency/ firm.

17.The agency/ firm must strengthen the river margin 100m from the toe to the River Flood Bank.

18.The agency/ firm has to lay CC(1:4:8) before laying the pipeline and CC(1:2:4) over the pipeline refill the pipeline with proper soils and consolidate the banks as directed by the Department.

19.The agency/ firm has to construct CC walls to avoid leakage at pipeline crossing.

20.The agency/ firm should follow the Revenue Board Standing Orders.

21.The agency/ firm shall pay security deposit at 5% on 10 years water charges for which permission is granted.

22.The agency/ firm shall pay one year water charges as advance and any amount due to the Department before entering in to agreement.

23.The agency/ firm has to conclude agreement with the Officers concerned of Water Resources Department.

24.The agency/ firm shall abide by R.C.Act-1884 and any other condition laid down by the Government Department from time to time.

25.The agency/ firm should make its own arrangements for summer storage in their premises only and to conclude agreements accordingly.

26.The agency/ firm has to pay the water charges for the estimated quantity in advance as the start of the financial year i.e. before 10th April every year as per BSO.

27.The proposed drawl for this plant should not affect Lower Riparian Rights (LRR) and Upper Riparian Rights(URR) in any manner.

28.The Department is no way responsible for any damages that may occur to the off take point due to floods in Krishna River or on an account of any other reasons.

29.The permission does not confer any riparian right to the agency/ firm.

30.Non-Adherence to any of the above condition by the agency/ firm will entail cancellation of the permission.

31.The Firm has to produce the relevant records for Departmental verification at the end of each quarter periodically.

32.The concerned Executive Engineer will be responsible for enforcing the conditions.

2. Government after careful examination of the matter and as recommended by the Engineer-in-Chief (Irrigation), Water Resources Department, Vijayawada, hereby accord the permission to A.P. Medical Services & Infrastructure Development Corporation (APMSIDC) for drawl of 1,00,000 litres/day for 30 months of irrigation water from Karagraharam Branch Channel for the construction of Medical College at Machilipatnam with the subjective terms and conditions mentioned at above para.

3. The Engineer-in-Chief (Irrigation), Water Resources Department, Andhra Pradesh, Vijayawada, the Chief Engineer, Krishna Delta System and the Collector & District Magistrate of Krishna District, Machilipatnam shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Dr K S Jawahar Reddy I A S

-5-

Special Chief Secretary To Govt

To
The Engineer-in-Chief (Irrigation), Water Resources Department,
Andhra Pradesh, Vijayawada.
The Collector & District Magistrate, Krishna District, Machilipatnam.
The Chief Engineer, Krishna Delta System, Vijayawada.
The Managing Director, M/s A.P. Medical Services & Infrastructure Development Corporation (APMSIDC), Vijayawada.
The Managing Director, A.P. Pollution Control Board, Vijayawada.

Copy to:

The Private Secretary to Hon'ble Minister for Water Resources.
The Private Secretary to the Secretary to Government,
Water Resources Department.
The Private Secretary to the Spl. C.S to Government,
Industries & Commerce Department.
SF/SC.

// FORWARDED : : BY ORDER //

P.K. Shanmukha

SECTION OFFICER

O/C

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

W.R. (Reforms) Dept. – A.P. Medical Services & Infrastructure Development Corporation (APMSIDC) - Permission for Drawl of 1,00,000 Litres per day for 30 months of Irrigation water from Karagraharam Branch Channel for construction purpose – Permission accorded- Orders- Issued.

WATER RESOURCES (REFORMS) DEPARTMENT

G.O. Rt. No. 491 **Dated: 28.02.2022**
Read the following:

1. From the Engineer-in-Chief (I), WRD., Vijayawada, Lr. No. ENC(I)/ EE/ DEE1/AEE2/IWS (Machilipatnam Medical College), Dt: 08-10-2021.
2. Govt. Memo No. ICDO1-COOR0MISC/63/Reforms/2021-1 Dt: 01.11.2021.
3. From the Engineer-in-Chief (I), WRD., Lr.No. ENC(I)/ EE/DEE1/AEE2/ IWS (Machilipatnam Medical College), Dt: 07-01-2022.
4. G.O.Ms.No.1, Ind.& Com. (P&I) Dept., dt.12.01.2022.

* * *

O R D E R:

In the letters 1st and 3rd read above, the Engineer-in-Chief (I), Water Resources Department, Vijayawada based on the report of Chief Engineer, Krishna Delta System, Water Resources Department have recommended the proposal to Government to accord permission to A.P. Medical Services & Infrastructure Development Corporation (APMSIDC) for drawl of 1,00,000 litres/day for 30 months of irrigation water from Karagraharam Branch Channel for construction of Medical College at Machilipatnam with the following subjective terms and conditions:

1. The water must be used for the purpose of construction activities of Medical College only. i.e. the water drawn from the Karagraharam Branch Channel should be utilized for the purpose for which the permission is granted.
2. The water can be spared subject to the availability of water in the Karagraharam Branch Channel.
3. Under any circumstances, the consumptive utilization should not exceed the quantum of water allotted by the Government. i.e. No excess water should be drawn from the Irrigation Canal.
4. The agency/ firm must install water meters or suitable measuring devices at their own cost to measure the water consumed and should be made available to the Departmental Authorities and the

representatives of the users shall be present at all time of inspection. The water meter shall be periodically calibrated and kept sealed. The period of calibration will be specified by the department.

5. The entire cost of construction of intake well, pump house, pipelines excavation etc., should be borne by the agency/ firm only.
6. The water royalty charges for required quantum of water must be paid in advance to the competent authority of Water Resources Department.
7. The industry should pay the water royalty charges at the existing rates i.e. as per the G.O.Ms.No.1, Ind. & Com. (P&I) Dept., dt.12.01.2022 at the rate of Rs. 120/KL as the water is used for consumptive use and at the revised rates fixed by the Government from time to time. In case of failure to pay water rate/ royalty the permissions to draw water shall stands cancelled.
8. The industry shall obtain the prior concurrence from concerned Departments for laying pipelines and for crossing etc., where ever necessary.
9. During the dry spells, the priority must be given to the Agriculture crops only, no water shall be supplied to the agency during those periods.
10. Before closing of the canal, the required quantum of water can be stored by the agency by making alternative arrangements, as no water is supplied during the canal closed period.
11. Irrigation canal cannot be damaged during the drawl of water and maintenance of source canal (ex: weed removal and de-siltation) should be done by the agency only.
12. No field bodhi or pipeline shall be taken through or along with Government land without approval of Government and if permission accorded by the Government the lease should be paid as fixed by Government only.
13. The agency/ firm should make their own arrangements to dispose the treated effluents as per norms of A.P. Pollution Control Board in their premises only and should obtain prior permission if any needed from Government to dispose treated effluents in their natural sources. Necessary clearance from the A.P. Pollution Control Board is to be obtained in this regard by the firm before drawl of water from the source.
14. The Water Resources Department reserves the right for cancellation of the permission without assigning any reasons thereof.
15. The Water Resources Department is no way responsible for non-supply of water due to any reasons.
16. The agency/ firm must acquire the private land for installation of pumping arrangements. If the agency/firm proposes to utilize Government land for installation of pump house, necessary

permissions is to be obtained from the Government for leasing the land and the lease amount fixed is to be paid by the agency/ firm.

17. The agency/ firm must strengthen the river margin 100m from the toe to the River Flood Bank.
18. The agency/ firm has to lay CC(1:4:8) before laying the pipeline and CC(1:2:4) over the pipeline refill the pipeline with proper soils and consolidate the banks as directed by the Department.
19. The agency/ firm has to construct CC walls to avoid leakage at pipeline crossing.
20. The agency/ firm should follow the Revenue Board Standing Orders.
21. The agency/ firm shall pay security deposit at 5% on 10 years water charges for which permission is granted.
22. The agency/ firm shall pay one year water charges as advance and any amount due to the Department before entering in to agreement.
23. The agency/ firm has to conclude agreement with the officers concerned of Water Resources Department.
24. The agency/ firm shall abide by R.C.Act-1884 and any other condition laid down by the Government Department from time to time.
25. The agency/ firm should make its own arrangements for summer storage in their premises only and to conclude agreements accordingly.
26. The agency/ firm has to pay the water charges for the estimated quantity in advance as the start of the financial year i.e. before 10th April every year as per BSO.
27. The proposed drawl for this plant should not affect Lower Riparian rights (LRR) and Upper riparian rights(URR) in any manner.
28. The Department is no way responsible for any damages that may occur to the off take point due to floods in Krishna River or on an account of any other reasons.
29. The permission does not confer any riparian right to the agency/ firm.
30. Non-Adherence to any of the above condition by the agency/ firm will entail cancellation of the permission.
31. The Firm has to produce the relevant records for Departmental verification at the end of each quarter periodically.
32. The concerned Executive Engineer will be responsible for enforcing the conditions.

2. Government after careful examination of the matter and as recommended by the Engineer-in-Chief (I), Water Resources Departement, Vijayawada, hereby accord the permission to A.P. Medical Services & Infrastructure Development Corporation (APMSIDC) for drawl of 1,00,000 litres/day for 30 months of irrigation water from Karagraharam Branch Channel for the construction of Medical College at Machilipatnam with the subjective terms and conditions mentioned at above para.

3. The Engineer-in-Chief (Irrigation), Water Resources Department, Andhra Pradesh, Vijayawada, the Chief Engineer, Krishna Delta System, Vijayawada and the Collector & District Magistrate of Krishna District, Machilipatnam shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Dr. K.S. JAWAHAR REDDY
SPL. CHIEF SECRETARY TO GOVERNMENT

To
The Engineer-in-Chief (Irrigation), Water Resources Department,
Andhra Pradesh, Vijayawada.
The Collector & District Magistrate, Krishna District, Machilipatnam.
The Chief Engineer, Krishna Delta System, Vijayawada.
The Managing Director, M/s A.P. Medical Services & Infrastructure
Development Corporation (APMSIDC), Vijayawada.
The Managing Director, A.P. Pollution Control Board, Vijayawada.
Copy to:
The Private Secretary to Hon'ble Minister for Water Resources.
The Private Secretary to the Secretary to Government,
Water Resources Department, A.P. Secretariat.
The Private Secretary to the Spl. C.S to Government,
Industries & Commerce Department, A.P. Secretariat.
SF/SC.

// FORWARDED : : BY ORDER //

P.V. Ramana

SECTION OFFICER